EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(("6141756") or ("4748668")).PN.	US-PGPUB; USPAT	OR	OFF	2009/02/09 13:28
S2	53	(SMEETS near BERNARD) (SELANDER near GORAN) (NERBRANT near PER adj OLOF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:32
S3	11	S2 and tamper adj resistant$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:32
S4	737	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:34
S5	139	726/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:35
S6	310	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:35
S7	42	manufactur$4 with circuit same tamper adj resistant $4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:41
S8	14	S7 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:42
S9	27	manufactur$4 same tamper adj resistant$4 with secret	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:58

S10	14	S9 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:58
S11	35	cryptograph$6 with hash $4 with serial adj number with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:42
S12	21	S11 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:42
S13	37	cryptograph$6 with hash $4 with serial adj number same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:44
S14	22	S13 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:44
S15	26	fischer.in. and tamper adj resistant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:45
S16	86	tamper adj resistant$4 with secret same cryptographic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:46
S17	39	S16 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:47
S18	104	hash$4 with serial adj number same generat$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:51
S19	40	S18 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 14:52

S20	22	tamper adj resistant$4 same (produc$4 creat$4) with content same (watermark digital adj signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 09:51
S21	4	S20 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 09:51
S22	310	tamper adj resistant$4 and (produc$4 creat$4) with content same (watermark digital adj signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 09:53
S23	243	tamper adj resistant$4 same (watermark digital adj signature) and (produc $4 creat$4) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 09:55
S24	86	S23 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 09:55
S25	382	(watermark digital adj signature) same (producer creator) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:23
S26	163	S25 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:23
S27	9	trigger adj data same external same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:26
S28	215	trigger adj data same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:28
S29	87	S28 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:28

S30	1189	external with data same trigger$4 with (generat$4 creat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:32
S31	22	external with data same trigger$4 with (generat$4 creat$4) same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:32
S32	33	external with data same trigger$4 with (generat$4 creat$4) same (security encrypt$4 cipher$4 cryptograph$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:33
S33	11	S32 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:33
S34	1	("6234468").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/10 10:38
S35	1	("6243468").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/10 10:38
S36	1536	device near3 (access adj code PIN password) with manufactur$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:57
S37	80	S36 same (security encrypt$4 cipher$4 cryptograph$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:58
S38	36	S37 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 10:58
S39	21	device near3 (access adj code PIN password) same authenticat$4 with manufactur$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:02
S40	1	S39 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:02

S41	7	authenticat$4 with manufactur$4 same access adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:05
S42	50	chain with bind with keys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:13
S43	32	S42 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:18
S44	1	chain same bind$4 adj keys same hash$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:21
S45	22	chain same keys same hash$4 with identity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:03
S46	10	S45 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:04
S47	140	chain with keys and hash$4 with identity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:06
S48	45	S47 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:06
S49	5	generat$4 with key same hash$4 with identity same chain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:10
S50	206	generat$4 with key same hash$4 with identity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:11

S51	84	S50 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:11
S52	224	hash$4 with previous with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:14
S53	87	S52 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:14
S54	25	hash$4 with previous with key with (identity identification id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:15
S55	2	S54 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:15
S56	44	(hash$4 "one way function") same previous with key with (identity identification id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:16
S57	15	S56 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:16
S58	553	hash adj2 chain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:29
S59	192	S58 and generat$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:29
S60	58	S59 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:29

S61	8	S58 and generat$4 with key near chain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:39
S62	165	generat$4 with key near chain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:39
S63	64	S62 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:39
S64	1	generic adj trust adj delegation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:51
S65	1	generic with trust adj delegation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:53
S66	22	trust adj delegation and hash$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:53
S67	6	S66 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:53
S69	2	hierarchical adj open adj security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:00
S70	1	S69 and certificate adj chain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:01

2/10/09 3:15:09 PM
C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10533120.wsp